

GRAND OAK | WOOD EFFECT PORCELAIN TILES

3 COLOURS | 2 FINISHES | 4 FORMATS



BLUEPRINT  
CERAMICS

GRAND OAK

WOOD EFFECT PORCELAIN TILES

3 COLOURS | 2 FINISHES | 4 FORMATS



Grand Oak redefines natural elegance with the unmatched durability of porcelain. Designed with architects and designers in mind, this wood-effect tile authentically replicates the rich grain and warmth of real oak—bringing a grounded, organic feel to modern interiors without compromising on performance. Crafted for both aesthetic and technical excellence, Grand Oak features a PTV+36 slip resistance rating, making it a safe and stylish solution for residential, commercial, and hospitality environments—especially in wet or high-traffic areas like bathrooms, spas, and lobbies. The collection offers a harmonious balance of warmth and sophistication, with a contemporary palette and tactile finish that seamlessly integrates into any design language, from minimalist to rustic.

### Project Suitability

All project types internal/External Walls/  
Floors

Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

GRAND OAK

WOOD EFFECT PORCELAIN TILES

3 COLOURS | 2 FINISHES | 4 FORMATS



GRAND OAK

WOOD EFFECT PORCELAIN TILES

3 COLOURS | 2 FINISHES | 4 FORMATS



CHEVRON 294x34mm

200x1200mm

Nat



200x1200mm

300x1200mm

400x1200mm

Nat/Grip



225x1800mm

200x1200mm

300x1200mm

Nat/Grip



Mosaic 300x300mm Sheet



**BLUEPRINT  
CERAMICS**

GRAND OAK

WOOD EFFECT PORCELAIN TILES

3 COLOURS | 2 FINISHES | 4 FORMATS

## TECHNICAL DATA

FINISHES

NATURAL/GRIP/

THICKNESS

9.5/10/20mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	Conforms
Flexion Resistance	BS EN ISO 10545-4	Conforms
Impact Resistance	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Conforms
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Conforms

**BLUEPRINT  
CERAMICS**