

BLOCCA

DESIGN PORCELAIN TILES

22 COLOURS | 2 FINISHES | 1 FORMATS



BLUEPRINT
CERAMICS



The signature 50×200 mm proportion gives Blocca its refined architectural rhythm. Whether installed in a traditional brick bond, vertical stack, or herringbone configuration, the format creates clean lines and a defined sense of movement. Designers can use Blocca to enhance spatial flow, create bold focal points, or introduce subtle texture without overwhelming the room.

Project Suitability

All project types Internal/External Walls/
Floors

Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

BLOCCA

DESIGN PORCELAIN TILES

22 COLOURS | 2 FINISHES | 1 FORMATS



BLOCCA

DESIGN PORCELAIN TILES

22 COLOURS | 2 FINISHES | 1 FORMATS



BLOCCA

DESIGN PORCELAIN TILES

22 COLOURS | 2 FINISHES | 1 FORMATS

BPBC01



BPBC02



BPBC03



BPBC04



BPBC05



BPBC06



50x200mm

BLUEPRINT
CERAMICS

BLOCCA

DESIGN PORCELAIN TILES

22 COLOURS | 2 FINISHES | 1 FORMATS

BPBC07



BPBC08



BPBC09



BPBC10



BPBC11



BPBC12



50x200mm

BLUEPRINT
CERAMICS

BPBC13



BPBC14



BPBC15



BPBC16



BPBC17



BPBC18



50x200mm

BLUEPRINT
CERAMICS

BPBC19



BPBC20



BPBC21



BPBC22



50x200mm

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

GLOSS/MATT

THICKNESS

9mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 0,5%
Flexion Resistance	BS EN ISO 10545-4	Conforms
Breaking Strength	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Conforms
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Resistant

**BLUEPRINT
CERAMICS**