

GENEVA

MARBLE EFFECT PORCELAIN

2 COLOURS | 3 FINISHES | 4 FORMATS



BLUEPRINT
CERAMICS

GENEVA

MARBLE EFFECT PORCELAIN TILES

2 COLOURS | 3 FINISHES | 4 FORMATS



Geneva is a premium marble-effect porcelain tile collection inspired by the timeless beauty of Calacatta stone. Designed to bring refined elegance into contemporary interiors, Geneva features a warm white background, soft natural veining, and a luxurious polished finish that elevates any space. Perfect for bathrooms, kitchens, living areas, and commercial interiors, Geneva combines the sophisticated appearance of natural marble with the durability and practicality of high-performance porcelain. Available in a range of sizes and slab formats, Geneva is ideal for both walls and floors, creating seamless, light-filled spaces with an effortlessly premium aesthetic. Inspired by the purity and radiance of classic marble surfaces, Geneva offers a clean, architectural look suited to modern residential and hospitality projects.

Project Suitability

All project types Internal/External Walls/
Floors

Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

GENEVA

CONCRETE EFFECT PORCELAIN TILES

3 COLOURS | 3 FINISHES | 5 FORMATS



GENEVA

MARBLE EFFECT PORCELAIN TILES

4 COLOURS | 3 FINISHES | 4 FORMATS

BPGE01



Sizes

1200x2800mm

1200x1200mm

600x1200mm

600x600mm



BLUEPRINT
CERAMICS

GENEVA

MARBLE EFFECT PORCELAIN TILES

4 COLOURS | 3 FINISHES | 4 FORMATS

BPGE02



Sizes

1200x2800mm

1200x1200mm

600x1200mm

600x600mm



BLUEPRINT
CERAMICS

GENEVA

MARBLE EFFECT PORCELAIN TILES

4 COLOURS | 3 FINISHES | 4 FORMATS

BPGE03



Sizes

600x1200mm



BLUEPRINT
CERAMICS

GENEVA

MARBLE EFFECT PORCELAIN TILES

4 COLOURS | 3 FINISHES | 4 FORMATS

BPGE04



Sizes

600x1200mm



BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

Matt/Semi-Polished/
3D

THICKNESS

6/9mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 0,1%
Flexion Resistance	BS EN ISO 10545-4	Conforms
Breaking Strength	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Resistant
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	Resistant

**BLUEPRINT
CERAMICS**