

BIJOU

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 2 FORMATS



BLUEPRINT
CERAMICS

BIJOU

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 2 FORMATS



Small in scale, full of character. Bijou ceramic wall tiles bring a relaxed, artisan-inspired aesthetic to interiors, combining subtle surface texture with expressive colour variation.

Available in 100×100mm square and 51×161mm rectangular formats, Bijou offers scope for considered wall compositions, from simple stacked arrangements to brick bond and herringbone layouts. Each box contains approximately equal proportions of matt and satin tiles, creating a surface that responds gently to changing light.

The collection's five colours provide a versatile palette for creative schemes, while variations in shade and glaze give tiled walls depth and individuality. Pair Bijou with natural timber, stone and brushed metal for a warm, inviting interior, or use contrasting grout to emphasise its compact proportions.

For architects and interior designers exploring kitchen splashbacks, bathroom walls or decorative features in hospitality spaces, Bijou offers colour, texture and detail without overwhelming the wider

Project Suitability

All project types Internal/External Walls/
Floors

Commercial Projects

Retail & Hospitality

Residential, Renovation & New Build

BIJOU

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 2 FORMATS



BIJOU

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 2 FORMATS

BPBJ01



BPBJ02



BPBJ03



BPBJ04



BPBJ05



100x100mm

BLUEPRINT
CERAMICS

BIJOU

DECORATIVE CERAMIC TILES

5 COLOURS | 1 FINISHES | 2 FORMATS

BPBJ06



BPBJ07



BPBJ08



BPBJ09



BPBJ10



51x161mm

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES

SILK/MATT MIX

THICKNESS

8mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	Conforms
Thickness	BS EN ISO 10545-2	Conforms
Straightness of Sides	BS EN ISO 10545-2	Conforms
Rectangularity	BS EN ISO 10545-2	Conforms
Surface Flatness	BS EN ISO 10545-2	Conforms
Water Absorbtion	BS EN ISO 10545-3	≤ 10%
Flexion Resistance	BS EN ISO 10545-4	N/A
Breaking Strength	BS EN ISO 10545/5	> 600 N
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	N/A
Chemical Resistance	BS EN ISO 10545-13	GLA/GHB
Resistance to Stains	BS EN ISO 10545-14	5

BLUEPRINT CERAMICS