CANTO | 3D CERAMIC TILES

8 COLOURS | 1 FINISHES | 2 FORMATS



CANTO | 3D CERAMICS TILES

8 COLOURS | 1 FINISHES | 2 FORMATS



Bring colour, texture and dimension to interior walls with Canto, a collection of decorative ceramic wall tiles featuring two distinctive three-dimensional profiles. Defined architectural lines sit alongside softer recessed fluting, offering different ways to introduce depth and movement to a space. Glossy glazes catch the light across each surface, highlighting the relief and creating changing reflections throughout the day. Subtle tonal variation adds character, while delicate crackle effects bring further detail to selected glazes. Available in a 132 × 400mm format, Canto's eight-colour palette moves from pale neutrals to expressive greens, deep teal, golden ochre and warm earthy shades. Choose one profile for a consistent design or explore both within a coordinated interior scheme. For designers and specifiers looking to make a feature of the wall itself, Canto offers a distinctive combination of sculptural form and glazed colour.

Project Suitability

All project types internal/External Walls
Commercial Projects
Retail & Hospitality
Residential, Renovation & New Build


CANTO

3D CERAMIC TILES

8 COLOURS | 1 FINISHES | 2 FORMATS







CANTO | 3D CERAMIC TILES

8 COLOURS | 1 FINISHES | 2 FORMATS

BPCTN01



BPCTN02



BPCTN03



BPCTN04



BPCTN05



BPCTN06



BPCTN07



BPCTN08



10mm

132x400mm

BLUEPRINT
CERAMICS

CANTO | 3D CERAMIC TILES

8 COLOURS | 1 FINISHES | 2 FORMATS

BPCTN09



BPCTN10



BPCTN11



BPCTN12



BPCTN13



BPCTN14



BPCTN15



BPCTN16



10mm

132x400mm

BLUEPRINT
CERAMICS

TECHNICAL DATA

FINISHES	GLOSS
THICKNESS	10mm

TEST DESCRIPTION	TEST REQUIREMENT	VALUE
Sides	BS EN ISO 10545-2	N/A
Thickness	BS EN ISO 10545-2	N/A
Straightness of Sides	BS EN ISO 10545-2	N/A
Rectangularity	BS EN ISO 10545-2	N/A
Surface Flatness	BS EN ISO 10545-2	N/A
Water Absorbtion	BS EN ISO 10545-3	10%
Flexion Resistance	BS EN ISO 10545-4	RM> 150kg/cm2
Impact Resistance	BS EN ISO 10545/5	Conforms
Abrasion Resistance	BS EN ISO 10545-6	Conforms
Frost Resistance	BS EN ISO 10545-12	Conforms
Chemical Resistance	BS EN ISO 10545-13	Conforms
Resistance to Stains	BS EN ISO 10545-14	N/A

BLUEPRINT

CERAMICS